AVK BALL CHECK VALVES - PRESSURE LOSS, DN50, DN65 AND DN80 HORIZONTAL INSTALLATION



These curves are based on tests, performed according to EN1267, with a horizontal installation.
All ball check valves are fully open at approx. 0,5m/s.

COPYRIGHT©AVK GROUP A/S 2025 - AVK INTERNATIONAL A/S, Bizonvej 1, DK-8464 Galten - www.avkvalves.eu

AVK BALL CHECK VALVES - PRESSURE LOSS, DN100, DN125, DN150 AND DN200 HORIZONTAL INSTALLATION



These curves are based on tests, performed according to EN1267, with a horizontal installation.
All ball check valves are fully open at approx. 0,5m/s.

COPYRIGHT©AVK GROUP A/S 2025 - AVK INTERNATIONAL A/S, Bizonvej 1, DK-8464 Galten - www.avkvalves.eu

AVK BALL CHECK VALVES - PRESSURE LOSS, DN250 AND DN300 HORIZONTAL INSTALLATION



These curves are based on tests, performed according to EN1267, with a horizontal installation.
All ball check valves are fully open at approx. 0,5m/s.

COPYRIGHT©AVK GROUP A/S 2025 - AVK INTERNATIONAL A/S, Bizonvej 1, DK-8464 Galten - www.avkvalves.eu

AVK BALL CHECK VALVES - PRESSURE LOSS, DN350, DN400, DN450, DN500 AND DN600



COPYRIGHT©AVK GROUP A/S 2025 - AVK INTERNATIONAL A/S, Bizonvej 1, DK-8464 Galten - www.avkvalves.eu